

**symo<sup>®</sup>**



# ROBUSTO





**STRONG PARASOLS  
FOR PROFESSIONALS**










[www.symoparasols.com](http://www.symoparasols.com)

# ROBUSTO

## Technical details



PARASOL		4 m	4,5 m	5 m	5,5 m	6 m
<b>Shape</b>						
<b>Dimensions</b>	A - Height to Valance	214	214	214	214	214
	B - Height to the rib	242	242	242	242	242
	C - Height open	311	319	326	334	342
	D - Height closed	461	477	490	457	529
	E - Free height closed	252	246	229	171	216
	F - Max. storage length	461	477	490	457	529
	Weight parasol kg	63	85	70	114	126
	Packaging length cm*/weight kg	480/34	500/36	510/36	480/34	560/41
	Shade area m <sup>2</sup>	11,3	14,3	17,7	22,7	27
	Minimum ballast kg	672	784	896	896	1008
<b>Fabric</b>	 Fabric colours	Orchestra: See colours on fabrics sheet				
<b>Frame</b>	Pole	Aluminium 100 x 5 mm				
	Material	Aluminium - Powder coated RAL 9010 pure white or RAL 7016 Anthracite Gray fine structure Other RAL colours on request				
	Handle	With crank, height from floor 92 cm				
	Ribs, reinforced 50 x 25 x 2 mm	8	8	8	12	12
<b>Options</b>	Straight Valances	•	•	•	•	•
	Continuous Valances	-	-	-	-	-
	Extended pole/tube max 40 cm	•	•	•	•	•
<b>Wind resistance</b>	7 Bft (61 km/h - 38 mph) Always install the base on a horizontal and flat surface					

6,5 m	7 m	8 m	5,5 x 5,5 m	6 x 6 m	6,5 x 6,5 m	7 x 7 m	3 x 6 m	3,5 x 7 m
								
214	217	217	214	217	214	217	214	214
242	245	245	242	245	242	245	242	242
350	345	360	334	345	349	375	305	312
500	520	535	507	535	534	545	483	490
161	155	120	102	95	57	25	132	83
500	520	535	507	535	534	545	483	490
128	128	133	116	113	130	160	99	104
530/39	560/41	560/41	500/39	560/41	560/41	560/41	500/36	500/36
31,7	36,8	48	30,3	36	42,3	49	18	24,5
1120	1232	1232	1232	1120	1232	1232	1008	1232

Orchestra: See colours on fabrics sheet

Aluminium 100 x 5 mm

Aluminium - Powder coated RAL 9010 pure white or  
RAL 7016 Anthracite Gray fine structure  
Other RAL colours on request


With crank, height from floor 92 cm







12	12	12	12	12	12	12	10	10
•	•	•	•	•	•	•	•	•
-	-	-	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•

7 Bft (61 km/h - 38 mph)  
Always install the base on a horizontal and flat surface

# ROBUSTO

## Technical details




PARASOL		3,5 x 7,5 m	4 x 6 m	4 x 7 m	4 x 8 m	4,5 x 6 m
<b>Shape</b>						
<b>Dimensions</b>	A - Height to Valance	214	214	214	214	214
	B - Height to the rib	242	242	242	242	242
	C - Height open	303	312	311	334	319
	D - Height closed	453	463	523	478	477
	E - Free height closed	38	106	57	68	91
	F - Max. storage length	453	463	523	478	477
	Weight parasol kg	106	114	103	129	121
	Packaging length cm*/weight kg	480/34	480/34	560/41	500/36	510/36
	Shade area m <sup>2</sup>	26,3	24	28	32	27
	Minimum ballast kg	1120	1120	1120	1120	1232
<b>Fabric</b>	 Fabric colours	Orchestra: See colours on fabrics sheet				
<b>Frame</b>	Pole	Aluminium 100 x 5 mm				
	Material	Aluminium - Powder coated RAL 9010 pure white or RAL 7016 Anthracite Gray fine structure Other RAL colours on request				
	Handle	With crank, height from floor 92 cm				
	Ribs, reinforced 50 x 25 x 2 mm	10	10	10	10	12
<b>Options</b>	Straight Valances	•	•	•	•	•
	Continuous Valances	•	•	•	•	•
	Extended pole/tube max 40 cm	•	•	•	•	•
<b>Wind resistance</b>	7 Bft (61 km/h - 38 mph) Always install the base on a horizontal and flat surface					

4,5 x 7,5 m	5 x 5,85 m	5 x 6 m	5 x 7 m	5 x 7,5 m	5,5 x 6 m	6 x 7 m	6 x 8 m	7 x 8 m
214	212	212	212	214	214	214	214	217
242	240	240	240	240	242	242	242	245
319	329	329	329	329	334	359	342	375
477	525	507	535	535	507	555	527	570
37	130	124	57	37	124	121	161	160
477	525	507	535	535	507	555	527	570
118	106	124	121	129	124	121	161	160
500/36	560/41	560/42	560/43	560/44	560/45	560/46	560/47	560/48
33,8	29	30	35	37,5	33	42	48	56
1120	1120	1120	1120	1120	1120	1120	1120	1792
Orchestra: See colours on fabrics sheet								
Aluminium 100 x 5 mm								
Aluminium - Powder coated RAL 9010 pure white or RAL 7016 Anthracite Gray fine structure Other RAL colours on request								
With crank, height from floor 92 cm								
10	12	12	12	10	12	12	12	12
•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	-	-	-
•	•	•	•	•	•	•	•	•
7 Bft (61 km/h - 38 mph) Always install the base on a horizontal and flat surface								

### Periscope parasol

This unique system allows you to open and close the parasol without any trouble above tables & chairs.\*

\*Not applicable to all sizes.  
See E – free height closed



### BASES

#### INGROUND SLEEVE ECONOMY

- Steel galvanized
- Tilting device included
- Must be concreted into the ground
- Upper part 36,5 cm  
Lower part 41 cm  
Size 24 x 27,3 cm
- Weight: 20,5 kg
- Top plate for winter protection included



#### TILE BASE ECONOMY

- Steel galvanized
- 4 tiles per level, each 50x50x5cm with cut off edge
- 8 support levelling screws
- Size 112x112x48 cm
- Weight without tiles: 63 kg
- Weight per level: 122 kg



ACCESSORIES




Side panels poly + holders



Gutter poly + holders



6 strips LED  
RGB - soft-white light on mains current with application and remote controller. 12V, IP65



Integrated heating  
4 units (1400W each) with swivelling holder. Corner position. RAL 9010 white or RAL 7016 anthracite grey



Protective cover with stick  
Version A standard, version B for parasols with integrated heaters



Printing on valances or panels

POLY COLOURS SIDE PANELS AND GUTTER



M9577  
White

M9653  
Grey

M9671  
Red

M9853  
Black

M9875  
Creme



# symo

**STRONG PARASOLS**  
FOR PROFESSIONALS

Industriepark Z3 Waggelwater  
Dirk Martensstraat 13 - 8200 Brugge (Belgium)  
T 32 (0) 50 32 07 95  
info@symoparasols.com  
[www.symoparasols.com](http://www.symoparasols.com)

©Symo n.v. 2024 - All rights reserved - Any reproduction of Symo products is strictly prohibited and will result in legal action. Symo Parasols has the right to change any technical data, dimensions, colours and characteristics without prior notice. Printed colours may vary from reality.

